

Application of Ordish et al. - Serial No. 09/010,919

F1
to
could
a second workstation of said workstations, said second workstation receiving a second signal indicative of said bid from said network and for sending an acknowledgement of said received bid to said network;

said network sending at least a third signal to said first workstation and at least a fourth signal to said second workstation, said at least third and said at least fourth signals indicating acknowledgement of said acknowledgement from said second workstation,

wherein at least one of said network, said first workstation, and said second workstation determines when one of said acknowledgements has not been received during an interval.

Sub
F3
54. (Thrice Amended) A method for acknowledging the receipt signals relating to bids and offers in an electronic trading system, said electronic trading system including a network and at least first and second workstations coupled to a network, the method comprising the steps of:

62
62
sending an offer from the first workstation to the network in response to an initial bid ;
receiving the offer from said network at the second workstation;
sending from the second workstation to said network an acknowledgement of the receipt of the offer;

sending from the network to the first and second workstations an indication that the network acknowledges the acknowledgement from said second workstation; and

determining when at least one of said acknowledgements has not been received during an interval.

Sub
62
62
Cont
F5
59. (Thrice Amended) A computer-readable medium having computer-executable instructions for performing steps comprising:

Application of Ordish et al. - Serial No. 09/010,919

FS
63
Coul

receiving at a networked processor an offer from a first workstation in response to an initial bid;
sending the offer from the networked processor to a second workstation;
receiving an acknowledgement of a transaction based on the offer from the second workstation at the networked processor;
sending from the networked processor to the first and second workstations an indication that the networked processor received the acknowledgement of the transaction and
determining when at least one of said acknowledgements has not been received during an interval.

Sub
F6

62. (Thrice Amended) A workstation participating in the exchange of signals, the signals including at least a bid and an offer, the workstation connected to a network, said network connected to at least a second workstation, said workstation comprising:

64
Coul

a receiver for receiving an initial offer;
a processor for processing said initial offer; and
an output for outputting a first signal to said network, said first signal signaling a bid in response to said initial offer,

said receiver also receiving a second signal wherein said second signal indicates the acknowledgement of a receipt of said first signal by said second workstation and a third signal when said acknowledgement was not received during an interval.

63. (Thrice Amended) A computer-readable medium having computer-executable instructions for performing steps associated with a purchase comprising a bid and an offer

Application of Ordish et al. - Serial No. 09/010,919

comprising:

transmitting to a network an offer from a first workstation in response to a received initial bid;

receiving an acknowledgement from said network indicating that a workstation originating said initial bid has acknowledged said transmitted offer; and

receiving an alert from said network when said acknowledgement has not been received

during an interval.

67. (Twice Amended) A system for exchanging signals relating to at least a bid or an offer, the system comprising:

a network connected to workstations;

a first workstation of said workstations, said first workstation sending a first signal to said network signaling a bid in response to an initial offer;

a second workstation of said workstations, said second workstation receiving a second signal indicative of said bid transmitted from said first workstation in response to said initial offer from over said network, said second workstation sending an acknowledgement of said bid received from said first workstation over said network; and

said network sending at least a third signal to said first workstation and at least a fourth signal to said second workstation, said at least third and said at least fourth signals indicating acknowledgement of said acknowledgement from said second workstation,

wherein at least one of said network, said first work station, and said second work station determines when at least one of said acknowledgements has not been received during an interval.

68. (Twice Amended) A system for exchanging signals relating to at least a bid and an offer, the system comprising:

a network connected to workstations;

a first workstation of said workstations, said first workstation sending a first signal to said network signaling an offer in response to an initial bid;

a second workstation of said workstations, said second workstation receiving a second signal indicative of said offer from said network and for sending an acknowledgement of said received offer to said network;

said network sending at least a third signal to said first workstation and at least a fourth signal to said second workstation, said at least third and said at least fourth signals indicating acknowledgement of said acknowledgement from said second workstation

wherein at least one of said network, said first workstation, and said second workstation determines when one of said acknowledgements has not been received during an interval.

79. (Amended) A method for acknowledging the receipt signals relating to bids and offers in an electronic trading system, said electronic trading system including a network and at least first and second workstations coupled to a network, the method comprising the steps of:

sending a bid from the first workstation to the network in response to an initial offer;

receiving the bid from said network at the second workstation;

sending from the second workstation to said network an acknowledgement of the receipt of the bid;

sending from the network to the first and second workstations an indication that the network

67
Cont
H7
Cont
acknowledges the acknowledgement from said second workstation; and
determining when at least one of said acknowledgements has not been received during an
interval.

84. (Amended) A computer-readable medium having computer-executable instructions
for performing steps comprising:

receiving at a networked processor a bid from a first workstation in response to an initial
offer;

68 II
sending the bid from the networked processor to a second workstation;
receiving an acknowledgement of a transaction based on the bid from the second workstation
at the networked processor;

sending from the networked processor to the first and second workstations an indication that
the networked processor received the acknowledgement of the transaction; and

determining when at least one of said acknowledgements has not been received during an
interval.

87. (Amended) A workstation participating in the exchange of signals, the signals
including at least a bid and an offer, the workstation connected to a network, said network connected
to at least a second workstation, said workstation comprising:

69
Cont
a receiver for receiving an initial bid;

a processor for processing said initial bid;

an output for outputting a first signal to said network, said first signal signaling an offer in
response to said initial bid,

Application of Ordish et al. - Serial No. 09/010,919

said receiver also receiving a second signal wherein said second signal indicates the acknowledgement of a receipt of said first signal by said second workstation and a third signal when said acknowledgement was not received during an interval.

669
Cont'd
H8
Cont'd
88. (Amended) A computer-readable medium having computer-executable instructions for performing steps associated with a purchase comprising an offer comprising:

transmitting to a network a bid from a first workstation in response to a received initial offer;

receiving an acknowledgement from said network indicating that a workstation originating said initial offer has acknowledged said transmitted bid; and

receiving an alert from said network when said acknowledgement has not been received during an interval.

92. (Amended) A system for exchanging signals relating to at least a bid or an offer, the system comprising:

Sub
H9
a network connected to workstations;

610
Cont
a first workstation of said workstations, said first workstation sending a first signal to said network signaling an offer in response to an initial bid; and

a second workstation of said workstations, said second workstation receiving a second signal indicative of said offer transmitted from said first workstation in response to said initial bid from over said network, said second workstation sending an acknowledgement of said offer received from said first workstation over said network,

Application of Ordish et al. - Serial No. 09/010,919

said network sending at least a third signal to said first workstation and at least a fourth signal to said second workstation, said at least third and said at least fourth signals indicating acknowledgement of said acknowledgement from said second workstation,

wherein at least one of said network, said first work station, and said second work station determines when at least one of said acknowledgements has not been received during an interval.

93. (Amended) A system for exchanging signals relating to at least a bid or an offer, the system comprising:

a network connected to workstations;

a first workstation of said workstations, said first workstation sending a second transaction message to said network in response to a first transaction message;

a second workstation of said workstations, said second workstation receiving a third transaction message from said network indicative of said second transaction message and for sending an acknowledgement of said received third transaction message to said network;

said network sending at least a fourth transaction message to said first workstation and at least a fifth transaction message to said second workstation, said at least fourth and said at least fifth transaction messages indicating acknowledgement of said acknowledgement from said second workstation

wherein prior to the transmission of said second transaction message by said first workstation, said second workstation transmits said first transaction message to said network..

100. (Amended) A system for exchanging signals relating to at least a bid or an offer, the system comprising:

Application of Ordish et al. - Serial No. 09/010,919

a network connected to workstations;

a first workstation of said workstations, said first workstation sending a second transaction message to said network in response to a first transaction message;

a second workstation of said workstations, said second workstation receiving a third transaction message from said network indicative of said second transaction message and for sending an acknowledgement of said received third transaction message to said network;

611
Concl
H10
Cont'd
said network sending at least a fourth transaction message to said first workstation and at least a fifth transaction message to said second workstation, said at least fourth and said at least fifth transaction messages indicating acknowledgement of said acknowledgement from said second workstation

wherein said second workstation further comprises:

a confirmation timer for measuring the time elapsed from said second workstation receiving said third transaction message until said second workstation receives said fifth transaction message; and

a storage unit for storing an indication that a purchase relating to said first transaction message was not completed upon the elapsed time measured by said confirmation timer exceeding a predetermined confirmation timeout period.

Sub
F15
612
Cont
103. (Amended) A system for exchanging signals relating to at least a bid or an offer, the system comprising:

a network connected to workstations;

a first workstation of said workstations, said first workstation sending a second transaction

message to said network in response to a first transaction message;

a second workstation of said workstations, said second workstation receiving a third transaction message from said network indicative of said second transaction message and for sending an acknowledgement of said received third transaction message to said network;

said network sending at least a fourth transaction message to said first workstation and at least a fifth transaction message to said second workstation, said at least fourth and said at least fifth transaction messages indicating acknowledgement of said acknowledgement from said second workstation

wherein said network further comprises:

a computer for matching at least bids or offers from said workstations in accordance with predetermined matching criteria.

an acknowledgement timer for measuring the time elapsed from reception of said second transaction message by said network from said first workstation until reception of said acknowledgement by said network from said second workstation; and

a storage unit for storing an indication that a purchase was not acknowledged upon the elapsed time measured by said acknowledgement timer exceeding a predetermined acknowledgement timeout period.

104. (Amended) A method for acknowledging the receipt signals relating to at least bids or offers in an electronic trading system, said electronic trading system including a network and at least first and second workstations coupled to a network, the method comprising the steps of:

sending a first transaction message from the second workstation to the network;

FRS
6/22
Cont

Application of Ordish et al. - Serial No. 09/010,919

receiving an acknowledgement of the first transaction message from the network at the second workstation

6/15
6/12
Concl
sending a second transaction message from the first workstation to the network in response to the first transaction message;

receiving the second transaction message from said network at the second workstation;

sending from the second workstation to said network an acknowledgement of the receipt of the second transaction message; and

sending from the network to the first and second workstations an indication that the network acknowledges the acknowledgement from said second workstation.

106. (Amended) A method for acknowledging the receipt signals relating to at least bids or offers in an electronic trading system, said electronic trading system including a network and at least first and second workstations coupled to a network, the method comprising the steps of:

6/13
6/12
Cont
sending a second transaction message from the first workstation to the network in response to a first transaction message;

receiving the second transaction message from said network at the second workstation;

sending from the second workstation to said network an acknowledgement of the receipt of the second transaction message;

sending from the network to the first and second workstations an indication that the network acknowledges the acknowledgement from said second workstation,

measuring an elapsed confirmation time from receiving the second transaction message from

613
Coul
112
Cont'd

the network at the second workstation until the second work station receives from the network the indication that the network received the acknowledgement of the transaction from the second workstation; and

storing an indication that the transaction is unconfirmed upon the measured elapsed confirmation time exceeding a predetermined confirmation timeout period

wherein the transaction messages relate to a transaction

Sub
FH

108. (Amended) A method for acknowledging the receipt signals relating to at least bids or offers in an electronic trading system, said electronic trading system including a network and at least first and second workstations coupled to a network, the method comprising the steps of:

604
Cont

sending a second transaction message from the first workstation to the network in response to a first transaction message;

receiving the second transaction message from said network at the second workstation;

sending from the second workstation to said network an acknowledgement of the receipt of the second transaction message;

sending from the network to the first and second workstations an indication that the network acknowledges the acknowledgement from said second workstation,

measuring an elapsed acknowledgement time from receiving the second transaction message at the network from the first workstation until the network receives the acknowledgement from the second workstation; and

storing an indication that the second transaction message transmitted to said second workstation is unacknowledged upon the measured elapsed acknowledgement time exceeding a

614
Cont
Sub
F17
predetermined acknowledgement timeout period.

110. (Amended) A computer-readable medium having computer-executable instructions for performing steps comprising:

receiving at a networked processor a first transaction message from a second workstation;

sending an acknowledgement of the first transaction message from the networked processor to the second workstation

receiving at the networked processor a second transaction message from a first workstation in response to the first transaction message;

615
sending the second transaction message from the networked processor to the second workstation;

receiving an acknowledgement of a transaction based on the second transaction message from the second workstation at the networked processor; and

616
sending from the networked processor to the first and second workstations an indication that the networked processor received the acknowledgement of the transaction.

Sub
F18
112. (Amended) A workstation participating in the exchange of signals, the signals including at least a bid or an offer, the workstation connected to a network, said network connected to at least a second workstation, said workstation comprising:

617
a receiver for receiving a first transaction message;

Cont
a processor for processing said first transaction message;

an output for outputting a first signal to said network, said first signal signaling a second transaction message in response to said first transaction message;

Application of Ordish et al. - Serial No. 09/010,919

said receiver also receiving a third transaction message wherein said third transaction message indicates the acknowledgement of a receipt of said second transaction message by said second workstation and said receiver receiving an alert from said network when said network has not received the acknowledgement of said second transaction message after a predetermined interval..

113. (Amended) A computer-readable medium having computer-executable instructions for performing steps associated with a purchase comprising:

transmitting to a network a second transaction message from a first workstation in response to a received first transaction message;

receiving an acknowledgement from said network indicating that a workstation originating said first transaction message has acknowledged said second transaction message; and

receiving an alert from said network when said network has not received the acknowledgement of said second transaction message after a predetermined interval..

117. (Amended) A system for exchanging signals relating to at least a bid or an offer, the system comprising:

a network connected to workstations;

a first workstation of said workstations, said first workstation sending a second transaction message to said network signaling a response to a first transaction message;

Application of Ordish et al. - Serial No. 09/010,919

a second workstation of said workstations, said second workstation receiving a second signal indicative of said second transaction message transmitted from said first workstation in response to said first transaction message from over said network, said second workstation sending an acknowledgement of said second transaction message received from said first workstation over said network;

617
Cord
said network sending at least a third transaction message to said first workstation and at least a fourth transaction message to said second workstation, said at least third transaction message and said at least fourth transaction message indicating acknowledgement of said acknowledgement from said second workstation

said network providing an alert when said acknowledgement has not been received after a predetermined interval.